

Multi-Ethnic Study of Atherosclerosis

Exam 5



Urine / Phlebotomy

QC Id#: _____ **Id#:** _____

Acrostic: _____

Phlebotomist ID

Date: / /
Month Day Year

PARTICIPANT QUESTIONS

- | | Yes | No | Don't Know |
|--|-----------------------|-----------------------|-----------------------|
| 1 Do you bleed or bruise easily? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 2 Have you ever been told you have a disorder relating to blood clotting or coagulation? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 3 Have you ever experienced fainting spells while having blood drawn? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 4 Do you have diabetes for which you take insulin or oral hypoglycemics? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

PROCEDURE

Blood Draw Type 4 Configuration

5 Was urine sample filled? YES → Yes No Partial *min 51mL*

NO → Why was urine sample not taken?
 Participant unable to void
 Refused
 Other:

6 Time at start of venipuncture: : M

7 Was any blood drawn?
 Yes, full sample
 Yes, partial sample
 No, refused
 No, hard to stick
 No, other:

8 Elapsed time until tourniquet released: seconds
(120-seconds optimum)

9 Time at end of venipuncture: : M

10 Quality of venipuncture: Traumatic Clean

- Mark all that apply*
- | | |
|--|--|
| <input type="radio"/> Vein collapsed | <input type="radio"/> Multiple sticks |
| <input type="radio"/> Hematoma | <input type="radio"/> Vein hard to get |
| <input type="radio"/> Excessive duration of draw | <input type="radio"/> Leakage at venipuncture site |

11 Blood Volume per tube:	Filled			Other (specify volume): <i>min 1/2 full</i>
	Yes	No	Partial	
1. Serum Cre 3.5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
2. Serum 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
3. EDTA 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
4. Citrate 4.5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
5. CPT 8 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
6. CPT 8 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
7. Serum 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
8. EDTA 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
9. CPT 8 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
10. CPT 8 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
11. EDTA 2 mL (CBC)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
12. SCAT 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
13. EDTA 2 mL (WB)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>

12 Participant selected as a quality control subject?
(Participant ID ends in 6)

- | (Blood) | (Urine) |
|--|--|
| <input type="radio"/> NO | <input type="radio"/> NO |
| <input type="radio"/> YES | <input type="radio"/> YES |
| <input type="radio"/> YES, but not enough blood for QC | <input type="radio"/> YES, but not enough urine for QC |

Comments: _____